CONTENTS

HIGH TEMPERATURE DEFORMATION AND MECHANICAL PROPERTIES

New concepts of analyzing plastic deformation of TiAl and Ni_3Al intermetallic compounds 356
B. A. Greenberg (Sverdlovsk, Russia) and M. A. Ivanov (Kiev, Ukraine)

Mechanical properties of boron-doped directionally-solidified Ni_3Al containing carbon, magnesium, calcium and rare earth elements 364
Y. Zhang and D.-L. Lin (Shanghai, China)

The role of hot-working on the microstructure and mechanical properties of the $L1_2$ type manganese-modified Al_3Ti alloy 370
X. Chen, S. Chen, X. Wu, L. Fang and G. Hu (Shanghai, China)

Improvement of hot workability of Ni_3Al–Cr–Zr–B ordered alloy. 377
P. Ma, Y. Yuan, L. Han, Y. Lu and Z. Zhong (Beijing, China)

Elevated temperature behavior of Fe_3Al with chromium additions 382
J. R. Knibloe, R. N. Wright (Idaho Falls, ID, USA), V. K. Sikka, R. H. Baldwin and C. R. Howell (Oak Ridge, TN, USA)

The negative temperature dependence of yield strength in the $L1_2$ compound Fe_3Ge 387
A. H. W. Ngan, I. P. Jones and R. E. Smallman (Birmingham, UK)

Effect of copper alloying on the deformation behavior of B2 NiAl intermetallic compounds 392
S. J. Jeon and H. C. Lee (Seoul, Korea)

High temperature strength of niobium aluminide intermetallics 398
E. P. Barth, J. K. Tien (Austin, TX, USA), S. Uejo and S. Kambara (Tokyo, Japan)

Evaluation of refractory intermetallics with A15 structure for high temperature structural applications . . . 402
D. M. Shah and D. L. Anton (East Hartford, CT, USA)

High temperature evaluation of topologically close packed intermetallics 410
D. L. Anton and D. M. Shah (East Hartford, CT, USA)

Elevated temperature mechanical properties of $Be_{12}Nb$ 416
C. H. Henager, Jr. (Pullman, WA, USA), R. E. Jacobson (Richland, WA, USA) and S. M. Bruemmer (Pullman, WA, USA)

A study on long-term stability of Ti_3Al–Nb–V–Mo alloy. 422
B. Wang, T. Jia, D. Zou, H. Ma and Z. Zhong (Beijing, China)

CREEP AND SUPERPLASTICITY

Creep in titanium aluminides 427
H. Oikawa (Sendai, Japan)

Different origins of grain size and composition effects on creep in TiAl. 433
K. Maruyama, T. Takahashi and H. Oikawa (Sendai, Japan)

The effect of reinforcement size on the creep strength of intermetallic matrix composites 438
J. Rösler (Stuttgart, FRG) and A. G. Evans (Santa Barbara, CA, USA)

Creep behaviour of dual-phase intermetallics based on $(Ti,Nb)_3(Al,Si)$ and $(Ti,Nb)_5(Si,Al)_3$ 444
M. Es-Souni, R. Wagner, P. A. Beaven (Geesthacht, Germany) and A. Bartels (Hamburg, Germany)

Alloy modification of γ-base titanium aluminide for improved oxidation resistance, creep strength and fracture toughness. 451
S. Tsuyama, S. Mitao and K. N. Minakawa (Kawasaki, Japan)

Superplastic behavior of regular α_2 and super α_2 titanium aluminides 457
H. S. Yang, P. Jin and A. K. Mukherjee (Davis, CA, USA)

Superplasticity in a nickel silicide alloy—microstructural and mechanical correlations 465
S. L. Stoner (Livermore, CA, USA), W. C. Oliver (Oak Ridge, TN, USA) and A. K. Mukherjee (Davis, CA, USA)

CONTENTS *(continued)*

FATIGUE AND FRACTURE

Cleavage fracture of ordered intermetallic alloys 470
M. H. Yoo and C. L. Fu (Oak Ridge, TN, USA)

Fatigue crack propagation resistance of ductile TiNb-reinforced γ-TiAl intermetallic matrix composites. . . 479
K. T. Venkateswara Rao and R. O. Ritchie (Berkeley, CA, USA)

Elevated temperature crack growth resistance of TiAl under monotonic and cyclic loading 486
A. W. James and P. Bowen (Birmingham, UK)

Frequency and hold time effects on crack growth of Ti–24Al–11Nb at high temperature 493
B. K. Parida and T. Nicholas (Wright-Patterson Air Force Base, OH, USA)

Microstructure and crack-shape effects on the growth behavior of small fatigue cracks in Ti–24Al–11Nb . . 499
K. S. Ravichandran and J. M. Larsen (Wright-Patterson Air Force Base, OH, USA)

Sub-critical crack growth in a Ti_3Al-based aluminide at elevated temperatures 508
R. J. T. Penton (Birmingham, UK), M. T. Cope (Derby, UK) and P. Bowen (Birmingham, UK)

Elevated temperature fatigue behavior of SCS–6/Ti–24Al–11Nb 514
T. Nicholas and S. M. Russ (Wright-Patterson Air Force Base, OH, USA)

The effect of casting temperature on the fatigue properties of cast nickel aluminide alloys. 520
B. Gieseke and V. K. Sikka (Oak Ridge, TN, USA)

The effect of niobium additions on the fracture of Ni–19Si-based alloys 525
J. S. C. Jang and C. H. Tsau (Hsinchu, Taiwan)

Fatigue and fracture of a Ni_2Cr ordered intermetallic alloy 532
P. S. Pao, S. J. Gill, C. R. Feng and D. J. Michel (Washington, DC, USA)

OXIDATION AND ENVIRONMENTAL EMBRITTLEMENT

Elevated-temperature environmental embrittlement and alloy design of $L1_2$ ordered intermetallics 538
M. Takeyama and C. T. Liu (Tokyo, Japan)

The oxidation behavior of intermetallic compounds 548
G. H. Meier and F. S. Pettit (Pittsburgh, PA, USA)

Diffusional transport and predicting oxidative failure during cyclic oxidation of β-NiAl alloys. 561
J. A. Nesbitt, E. J. Vinarcik, C. A. Barrett and J. Doychak (Cleveland, OH, USA)

Oxidation behavior of a NiAl/TiB_2 intermetallic composite 567
B. A. Pregger, T. Kircher and A. Khan (Warminster, PA, USA)

Behavior of iron aluminides in oxidizing and oxidizing/sulfidizing environments. 573
P. F. Tortorelli and J. H. De Van (Oak Ridge, TN, USA)

Effects of hydrogen in titanium aluminide alloys 578
A. W. Thompson (Pittsburgh, PA, USA)

Oxide properties of a γ-TiAl: a surface science study 584
T. N. Taylor and M. T. Paffett (Los Alamos, NM, USA)

Effect of silicon and niobium on oxidation resistance of TiAl intermetallics. 591
K. Maki, M. Shioda, M. Sayashi (Yokosuka, Japan), T. Shimizu and S. Isobe (Nagoya, Japan)

Oxidation and mechanical behavior of intermetallic alloys in the Ti–Nb–Al ternary system 597
G. Chen, Z. Sun and X. Zhou (Beijing, China)

Cyclic oxidation resistance of an intermetallic compound TiAl. 602
T. Shimizu, T. Iikubo and S. Isobe (Nagoya, Japan)

The initial oxidation of α_2 (Ti_3Al) and γ (TiAl) titanium aluminide alloys. 608
M. R. Shanabarger (Santa Barbara, CA, USA)

Evaluation of the environmentally assisted cracking of aluminide intermetallic compounds 613
B. Bavarian (Northridge, CA, USA), S. Harutouni (Chatsworth, CA, USA) and M. Zamanzadeh (Pittsburgh, PA, USA)

CONTENTS *(continued)*

COMPOSITES

Mechanical behavior of a fiber reinforced Ni_3Al matrix composite 619
S. Nourbakhsh, W. H. Rhee, O. Sahin and H. Margolin (Brooklyn, NY, USA)

Micromodelling of crack growth in fibre reinforced composites 628
P. Bowen, D. C. Cardona and A. R. Ibbotson (Birmingham, UK)

The mechanical properties of an Al_2O_3/Ni_3Al particulate-reinforced composite. 635
P. C. Brennan, W. H. Kao (El Segundo, CA, USA) and J.-M. Yang (Los Angeles, CA, USA)

Producing Ni_3Al matrix composite material by vacuum hot pressing and heat treatment of nickel-plated aluminum sheets with Al_2O_3 fiber 641
J. Kesapradist, K. Ono (Los Angeles, CA, USA) and K. Fukaura (Himeji, Japan)

Microstructure and elevated temperature behavior of a spray-atomized and co-deposited $Ni_3Al/SiC/TiB_2$ intermetallic matrix composite 646
X. Liang, H. K. Kim, J. C. Earthman and E. J. Lavernia (Irvine, CA, USA)

Interfacial behavior in Ni_3Al/TiB_2 intermetallic matrix composite 654
X. Liang and E. J. Lavernia (Irvine, CA, USA)

Interaction of tantalum with reinforcements in γTiAl 662
J. Newkirk and D. Dixon (Rolla, MO, USA)

On the toughness and creep behavior of fiber reinforced $MoSi_2$ intermetallics. 668
H. E. Dève, C. H. Weber (Santa Barbara, CA, USA) and M. Maloney (West Palm Beach, FL, USA)

NOVEL PROCESSING

Synthesis, processing and properties of nanophase aluminide 676
H. Chang, J. Höfler, C. Altstetter and R. Averback (Champaign, IL, USA)

Nanocrystalline intermetallic compounds—structure and mechanical properties 679
T. Haubold, R. Bohn, R. Birringer and H. Gleiter (Saarbrücken, Germany)

Mechanical alloying of FeAl with Y_2O_3 684
J. H. Schneibel (Oak Ridge, TN, USA), P. Grahle and J. Rösler (Stuttgart, Germany)

Synthesis of Al/Al_3Ti two-phase alloys by mechanical alloying 691
S. Srinivasan, S. R. Chen and R. B. Schwarz (Los Alamos, NM, USA)

Improvement of ductility of NiAl at room temperature and manufacturing of $NiAl–TiB_2$ composites by melt spinning 696
T. Cheng and B. Cantor (Oxford, UK)

Combustion synthesis of intermetallic compounds using titanium, nickel and copper wires 700
D. M. Matson and Z. A. Munir (Davis, CA, USA)

Reaction processing of iron aluminides 706
B. H. Rabin, R. N. Wright, J. R. Knibloe (Idaho Falls, ID, USA), R. V. Raman and S. V. Rale (Sacramento, CA, USA)

INDUSTRIAL APPLICATIONS

Processing of nickel aluminides and their industrial applications 712
V. K. Sikka (Oak Ridge, TN, USA), J. T. Mavity and K. Anderson (Reno, NE, USA)

Development of castable TiAl alloy for turbine components 722
Y. G. Nakagawa, S. Yokoshima and K. Mastuda (Tokyo, Japan)

The effects of HIP processing on microstructure and phase relations in α_2-base titanium aluminides 726
M. Saqib, L. S. Apgar, D. Eylon and I. Weiss (Dayton, OH, USA)

AUTHOR INDEX 736

SUBJECT INDEX 738